

# Carlisle Spray Foam Insulation **Safety Data Sheet**

# 1. Identification of Substance:

Product Name: FOAMSULATE 50

**Supplier Identification:** Carlisle Spray Foam Insulation

Address:

100 Enterprise Dr. Cartersville, GA 30120

Telephone: (770) 607-0755

24-Hr. Emergency Phone Number:

CHEMTREC (800) 424-9300

INTERNATIONAL: +1-(703) 527-3887

Product Use: Polyurethane polyol component

# 2. Hazards Identification:

#### GHS Ratings:

Acute Tox. 4 Oral>300+<=2000mg/kg Oral Toxicity

Gases>2500+<=5000ppm, Vapors>10+<=20mg/l, Inhalation Toxicity Acute Tox. 4

Dusts&mists>1+<=5mg/l

Skin corrosive Reversible adverse effects in dermal tissue, Draize score: >=

2.3 < 4.0 or persistent inflammation

Eve corrosive Serious eye damage: Irreversible damage 21 days after

exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5

Aquatic toxicity C3 Acute toxicity > 10.0 but <= 100.0 mg/l and lack of rapid

degradability and log Kow >= 4 unless BCF < 500 and unless

chronic toxicity > 1 mg/l

#### **GHS Hazards**

H302	Harmful if swallowed
H315	Causes skin irritation
H318	Causes serious eye damage

H332 Harmful if inhaled

H412 Harmful to aquatic life with long lasting effects

#### **GHS Precautions**

P261	Avoid breathing dust/fume/gas/mist/vapors/spray

Wash hands thoroughly after handling P264

Do not eat, drink or smoke when using this product P270 P271 Use only outdoors or in a well-ventilated area

Avoid release to the environment P273

P280 Wear protective gloves/protective clothing/eye protection/face protection

P310 Immediately call a POISON CENTER in case of overexposure. Call a POISON CENTER or doctor/physician if you feel unwell P312 P321 Specific treatment is urgent (see Section 4 First Aid measures)

P330

P362 Take off contaminated clothing and wash before reuse

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell P301+P312

P302+P352 IF ON SKIN: Wash with soap and water

SDS for: FOAMSULATE 50 Page 1 of 7 P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing

P305+P351+P338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact

lenses if present and easy to do – continue rinsing

P332+P313 If skin irritation occurs: Get medical advice/attention

P501 Dispose of contents/container in accordance with existing federal, state, and local

environmental control laws.

# Signal Word: Danger



**Acute Toxicity:** 

**Eyes:** Corrosive to eyes. **Skin:** Irritating to skin.

**Inhalation:** Not expected to be a route of exposure. **Ingestion:** Harmful if swallowed. Consult physician.

Chronic Effects: Possible harmful target organ effects

# 3. Composition/Data on Components:

Chemical Name	CAS number	Weight Concentration %
2-Propanol, 1-chloro-, phosphate (3:1)	13674-84-5	20.00% - 30.00%
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)omegahydroxy-, branched	127087-87-0	10.00% - 20.00%
Tertiary amine	N/A	1.00% - 5.00%
Ethanol, 2-[[2-(dimethylamino)ethyl]methylamino]-	2212-32-0	1.00% - 5.00%
Bis(2-dimethylaminoethyl) ether	3033-62-3	0.10% - 1.00%
1,4-Dioxane	123-91-1	0.00% - 0.10%

# 4. First Aid Measures:

**Inhalation:** If inhaled and symptoms ensue, move to fresh air. If breathing is difficult, give oxygen.

**After Eye Contact:** Rinse opened eye for at least 15 minutes under running water. Remove contact lenses if present and easy to do so, and continue rinsing. If irritation persists contact physician

After Skin Contact: Clean affected area with soap and plenty of water.

After Swallowing: Consult physician.

SDS for: FOAMSULATE 50 Printed: 3/11/2019 at 10:49:24AM

Notes to Physician: Treat symptomatically.

# 5. Fire Fighting Measures:

Flash Point: 200 C (392 F)

LEL: N/A UEL: N/A

Upper and Lower Explosive Limits listed if known.

Suitable Extinguishing Agents: Water spray, CO2, Foam, Dry chemical.

**Information about Protection against Explosions and Fires:** Keep away from flames and sources of heat. Closed containers may rupture when exposed to extreme heat.

**Dangerous Products of Decomposition:** Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas.

**Protective Equipment:** Firefighters should wear a pressure demand self-contained breathing apparatus and protective clothing.

# 6. Accidental Release Measures:

**Person-Related Safety Precautions:** Use appropriate personal protective equipment during clean up. Evacuate and keep unnecessary people out of spill area. Avoid contact with skin and eyes.

**Measures for Environmental Protection:** Cover and contain spill with absorbent material. Collect for proper disposal according to local, state, and federal regulations.

**Small Spills:** Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Wipe up with absorbent material (e.g. cloth, fleece) clean surface thoroughly to remove residual contamination.

**Large Spills:** Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

# 7. Handling and Storage:

**Information for Safe Handling:** Avoid contact with eyes, skin, or inhalation.

Storage Requirements: Store in dry, well ventilated area. Keep containers tightly closed. Store between 60°F-100°F. Material may settle.

Regulatory Requirements: Obey all local, state, and federal requirements.

## 8. Exposure Controls and Personal Protection:

SDS for: FOAMSULATE 50 Page 3 of 7

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
2-Propanol, 1-chloro-, phosphate (3:1) 13674-84-5	Not Established	Not Established	Not Established
Poly(oxy-1,2-ethanediyl), .alpha(4-nonylphenyl)ome gahydroxy-, branched 127087-87-0	Not Established	Not Established	Not Established
Tertiary amine N/A	Not Established	Not Established	Not Established
Ethanol, 2-[[2-(dimethylamino)ethyl]me thylamino]- 2212-32-0	Not Established	Not Established	Not Established
Bis(2-dimethylaminoethyl) ether 3033-62-3	Not Established	0.15 ppm STEL 0.05 ppm TWA	Not Established
1,4-Dioxane 123-91-1	100 ppm TWA	20 ppm TWA	Not Established

**Engineering Controls:** No specific measures required if proper PPE precautions are followed.

**General Protective and Hygienic Measures:** Usual precautionary measures should be adhered to when handling chemicals.

**Respiratory Protection:** In spray applications, an organic vapor/particulate respirator or air supplied unit is necessary.

**Protection of Hands:** Protective chemical resistant gloves. **Eye Protection:** Chemical resistant goggles must be worn. **Body Protection:** Protective work clothing. Launder separately.

**Contaminated Gear:** Observe local requirements. Dispose of in accordance with local/state/federal regulations.

# 9. Physical and Chemical Properties:

# Physical properties listed where known.

Appearance: Amber liquid	Odor: Amine odor	
Vapor Pressure: N/A	Odor threshold: N/A	
Vapor Density: N/A	pH: N/A	
Specific Gravity 1.14	Melting point: N/A	
Freezing point: N/A	Solubility: N/A	
<b>Boiling range:</b> 100 - 342°C	Flash point: 392°F,200°C	
Evaporation rate: N/A	Flammability: N/A	
Explosive Limits: N/A	Partition coefficient N/A (n-octanol/water):	
Autoignition temperature: N/A	Decomposition temperature: N/A	

SDS for: FOAMSULATE 50 Printed: 3/11/2019 at 10:49:24AM

# 10. Stability and Reactivity:

Chemical Incompatible Materials: Avoid contact with isocyanates and strong oxidizing agents.

Hazardous Polymerization: Not expected to occur.

**Dangerous Products of Decomposition:** Oxides of carbon, oxides of nitrogen, oxides of phosphorus, hydrocarbons, traces of HCN, hydrogen chloride gas.

# 11. Toxicological Information:

#### Mixture Toxicity

Oral Toxicity LD50: 1,653mg/kg Dermal Toxicity LD50: 2,547mg/kg Inhalation Toxicity LC50: 16mg/L

#### **Component Toxicity**

13674-84-5 2-Propanol, 1-chloro-, phosphate (3:1)

Oral LD50: 500 mg/kg (Rat) Dermal LD50: 1,230 mg/kg (Rabbit) Inhalation LC50: 5 mg/L (Rat)

127087-87-0 Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched

Oral LD50: 1,310 mg/kg (Rat) Dermal LD50: 2,000 mg/kg (Rabbit)

Tertiary amine Tertiary amine

Oral LD50: 1,290 mg/kg (Rat) Dermal LD50: 370 mg/kg (Rabbit) Inhalation LC50: 3 mg/L (Rat)

2212-32-0 Ethanol, 2-[[2-(dimethylamino)ethyl]methylamino]-

Oral LD50: 2,000 mg/kg (Rat) Dermal LD50: 2,000 mg/kg (Rabbit) Inhalation LC50: 20 mg/L (Rat

3033-62-3 Bis(2-dimethylaminoethyl) ether

Oral LD50: 910 mg/kg (Rat) Dermal LD50: 238 mg/kg (Rabbit) Inhalation LC50: 117 ppm (Rat)

123-91-1 1,4-Dioxane

Oral LD50: 4,200 mg/kg (Rat) Inhalation LC50: 49 mg/L (Rat)

## **Individual Toxicity Values Listed if Known**

## **Acute Toxicity:**

**Eyes:** Corrosive to eyes. **Skin:** Irritating to skin.

**Inhalation:** Not expected to be a route of exposure. **Ingestion:** Harmful if swallowed. Consult physician.

**Chronic Effects:** Possible harmful target organ effects.

Routes of Entry: Ingestion, skin contact, eye contact.

Target Organs: Skin, eyes, reproductive system, kidneys
Chemicals with Known or Possible Carcinogenic Effects:

<u>CAS Number</u> <u>Description</u> <u>% Weight</u> <u>Carcinogen Rating</u>

123-91-1 1,4-Dioxane 0.0 to 0.1% 1,4-Dioxane: IARC group 2B - Possibly carcinogenic to humans

## 12. Ecological Information:

SDS for: FOAMSULATE 50 Page 5 of 7

Printed: 3/11/2019 at 10:49:24AM

**General Information:** Based on experience, no adverse effects are to be expected if correct disposal procedures have been followed as indicated in section 13.

Individual component ecotoxicity listed if known.

**Component Ecotoxicity** 

(3:1)

2-Propanol, 1-chloro-, phosphate 96 Hr LC50 Brachydanio rerio: 56.2 mg/L [static]; 96 Hr LC50 Pimephales promelas:

98 mg/L [static]; 96 Hr LC50 Poecilia reticulata: 30 mg/L [static]

48 Hr EC50 Daphnia magna: 63 mg/L

72 Hr EC50 Desmodesmus subspicatus: 45 mg/L; 96 Hr EC50 Pseudokirchneriella

subcapitata: 4 mg/L

Poly(oxy-1,2-ethanediyl), 48 Hr LC50 Pimephales pormelas (fathead minnow): 3.8 - 6.2 mg/L

.alpha.-(4-nonylphenyl)-.omega.-hy 48 Hr EC50 Daphnia magna: 9.3 - 21.4 mg/L

droxy-, branched 16 Hr IC50 Bacteria: >1,000 mg/L

Tertiary amine 72 Hr ErC50 Selenastrum capricornutum: 7.9 mg/L 72 Hr NOEC Selenastrum capricornutum: 1.2 mg/L

# 13. Disposal Considerations:

Recommendation: Observe local requirements. Dispose of in accordance with local/state/federal regulations.

**Empty Container Precautions:** Recondition or dispose of empty container in accordance with governmental regulations. If container is to be disposed, ensure all product residues are removed and container is empty prior to disposal.

# 14. Transport Information:

#### **DOT Regulated Components:**

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods unless specifically cited below:

Agency Proper Shipping Name UN Number Packing Group Hazard Class

None

## 15. Regulatory Information:

**OSHA HAZARD COMMUNICATION STANDARD:** This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

SARA 311/312 Hazard Categories: Acute health hazard, chronic health hazard.

**WARNING:** This product can expose you to chemicals listed below, which are known to the State of California to cause cancer, birth defects, or reproductive harm. For more information, visit www.P65Warnings.ca.gov

Ethylene Oxide 75-21-8 1 PPM CARC 1,4-Dioxane 123-91-1 4 PPM CARC

## **Massachusetts Right To Know List:**

- None

SDS for: FOAMSULATE 50 Page 6 of 7

# **New Jersey Right To Know List:**

- None

# Pennsylvania Right To Know List:

- None

## **SARA 302 Extremely Hazardous Substances:**

- None

## **Chemicals subject to SARA 313 Reporting:**

- None

Country **All Components Listed** Regulation

Canada Canada DSL Yes US **Toxic Substances Control Act** Yes

# 16. Other Information:

# Safety Data Sheet issued by Product Safety Department

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Carlisle Spray Foam Insulation. The data on these sheets relates only to the specific material designated herein. Carlisle Spray Foam Insulation assumes no legal responsibility for use or reliance upon this data. It is the user's responsibility to ensure that their activities comply with federal, state, or local laws.

Reviewer Revision 0 Date revised: 3/11/2019

Date Prepared: 3/11/2019

Page 7 of 7

Printed: 3/11/2019 at 10:49:24AM